


*ZED Mini

Camera Overview & Datasheet

The ZED Mini is a stereo camera that provides high definition images and accurate measure of the environment depth. It has been designed for the most challenging applications, including autonomous vehicle control, mobile mapping, aerial mapping, security, and surveillance.



*ZED Mini

Datasheet Revision History

Document Version	Description	Revision Date
1.0	● Initial release	November 2017
1.1	● Added: Functional diagram	April 2023
1.2	● Added: Dimensions on technical drawings	September 2025
1.3	● Added: Compliance and certificates	July 2026

*ZED Mini

Detailed Specifications

Technical Specifications

Video Output

Output Resolution	Side by Side
	2x (2208x1242) @15fps
	2x (1920x1080) @30fps
	2x (1280x720) @60fps
	2x(672x376) @100fps
Output Format	YUV 4:2:2 - YUYV(8bits)
Field of View	Max. 102°(H) x 57°(V) x 118°(D)
RGB Sensor Type	⅓" 4MP CMOS
Active Array Size	2688x1520 pixels per sensor (4MP)
Focal Length	3.06mm (0.12") - f/2.0
Shutter	Electronically Synchronized Rolling Shutter
Interface	USB 3.0 Type-C port
Warranty	2-year warranty

Physical

Dimensions	124.5 x 30.5 x 26.5 mm (4.9 x 1.2 x 1.0")
Weight	62.9g - 0.14 lb
Operating Temperature	0°C to +45°C (32°F to 113°F)
Power	Power via USB Typical consumption: 1.9W (0.38A 5V)

Camera Control

The ZED API provides low level access and control of the device and related sensors. The API allows for precise manipulation of common parameters such as frame rate, exposition time, white balance, gain, low light sensitivity. The API will also provide different resolutions.

Motion

Motion Sensors	Gyroscope, Accelerometer Sampling Rate 800Hz
Technology	Visual-inertial stereo SLAM
6-axis Pose Accuracy	Position: ± 1mm Orientation: 0.1 deg.
Pose Update Rate	Up to 100 Hz

Depth Sensing


Baseline	63mm (2.4")
Depth Range Max	0.1m to 15m (0.3ft to 49ft)
Ideal Range	0.1m to 9m (0.3ft to 13.1ft)
Depth Accuracy	< 1.0% at 2m (6.6ft) < 1.8% at 4m (13.1ft)
Depth Map Resolution	Native video resolution (in Ultra mode)

System Requirements


Supported OS	Win 10, Win 11 Ubuntu 20 & 22 CentOS, Debian (via Docker) USB3.0 Interface
SDK Requirements	Dual-core 2.3GHz or faster Minimum 4GB RAM Memory NVIDIA GPU(1) Compute capability ≥ 3.0

(1) Compatible with Nvidia Jetson Nano, TX2, Xavier

Functional SDK Diagram



*ZED Mini Technical Drawings



*ZED Mini

Part Numbers & Compliance

ZED Mini Part Numbers

ZED Mini	
SKU	ZED-121210

Standards & Compliance

Certificate	Region
CE Declaration of Conformity	European Union
REACH	European Union
RoHS Compliance	European Union
TSCA	United States
Certificate of Origin	Global

